UNCLASSIFIED

AD 295 629

Reproduced by the

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

MOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

295629

LOGED BY ASTIA

OFFICE OF NAVAL RESEARCH

Contract Nonr 3471(00)

Task No. 356-433

TECHNICAL REPORT NO. 7

Calculation of Basic Parameters Necessary for Quantum

Chemical Calculations on Boron-Containing Molecules

I. One-Center Electron Repulsion Integral (pp|pp)

by
Joyce J. Kaufman and Gaston Berthier*

December, 1962

RIAS

7212 Bellona Avenue Baltimore 12, Maryland

295 629

Permanent address: Faculty of Science, University of Paris, Paris, France

Reproduction in whole or in part is permitted for any purpose of the United States Government.

A S T I A

FEB 1 1963

TISIA

Calculation of Basic Parameters Necessary for Quantum Chemical Calculations on Boron-Containing Molecules $\hbox{I. One-Center Electron Repulsion Integral (pp|pp)}_{B}$

Abstract

A modified one-center electron repulsion integral (pp|pp) for boron which takes into account electron correlation effects has been evaluated by expansion of the energies of the boron atom and its positive and negative ions as a function of spectroscopic term values. The values for (pp|pp)_B calculated from two different pairs of valence states are very close:

 $(pp|pp)_{B} = 7.094 ev$

 $(pp|pp)_{B} = 6.976 ev$

in certain valence states

It is demonstrated that for boron, the Pariser-Parr approximation

$$(pp|pp) = I - A$$

and the more rigorous approximation of Julg

$$(pp|pp) = I - A - \epsilon(I + A)$$

do not hold, because since the electron is put into a formerly empty orbital, an exchange term arises in addition to the Coulomb term.

Calculation of Basic Parameters Necessary for Quantum

Chemical Calculations on Boron-Containing Molecules

I. One-Center Electron Repulsion Integral (pp pp)

As a part of a general program for quantum chemical calculations on boron-containing molecules, it has been necessary to evaluate modified values for Coulomb repulsion integrals for boron which take into account electron correlation effects. For many other atoms, i.e. carbon, nitrogen, oxygen, the modified value of the one-center electron repulsion integral can be estimated from the Pariser-Parr approximation

$$(pp|pp) = I - A \tag{1}$$

The one-center electron repulsion integral can also be calculated more exactly by expansion of the energies of the atom and its positive and negative ions as a function of spectroscopic term values. This method has been used by Julg² and for the carbon, nitrogen and oxygen, expressions of the form

$$(pp|pp) = I - A - \epsilon(I + A)$$
 (2)

are obtained. If the term in € is neglected (€ corrects for the fact that the effective nuclear charges are different in the positive ion, the neutral atom and the negative ion), both expressions for (pp|pp) reduce to the same value.

In order to gain some physical insight into the problem for the boron atom, we chose to do the expansion in spectroscopic term

values and, as will be shown later in this article, the expression for $(pp|pp)_B$ turns out not to have the simple form of the expressions for the (pp|pp) of the other atoms. The reason for this is that boron has less than a half-filled shell and we are putting the extra electron into a formerly empty orbital - for this reason, in addition to the Coulomb repulsion term, an exchange term also arises.

Calculations

I.

Valence state energies

B syz
$$E_i + \alpha$$

$$_{R}^{+}$$
 sz E_{i} $(1 + \epsilon)$

B syz =
$$I_s + I_y + I_z + J_{sy} + J_{sz} + J_{yz}$$

- $\frac{1}{2} K_{sy} - \frac{1}{2} K_{sz} - \frac{1}{2} K_{yz}$

$$B^+$$
 sz = $I_s + I_z + J_{sz} - \frac{1}{2} K_{sz}$

$$E_{i} = I_{s} + I_{z} + J_{sz} - \frac{1}{2} K_{sz}$$

$$\alpha = I_{y} + J_{sy} + J_{yz} - \frac{1}{2} K_{sy} - \frac{1}{2} K_{yz}$$

$$B^{-} = (E_{1} + 2\alpha + J_{xy} - \frac{1}{2} K_{xy}) (1 - \epsilon)$$

$$= E_{1} + 2\alpha + (pp|pp) - \frac{5}{2}(p\bar{p}|p\bar{p})$$

from the relation

$$(pp|pp) - (pp|\overline{pp}) = 2(p\overline{p}|p\overline{p})$$

where

$$J_{xx} = (pp|pp)$$

$$J_{xy} = (pp | \overline{pp})$$

$$K_{xy} = (p\bar{p}|p\bar{p})$$

$$(B^{-} - B) + (B^{+} - B) = (I - A) = (pp|pp) - \frac{5}{2}(p\bar{p}|p\bar{p}) - \epsilon[2\alpha + (pp|pp)]$$

$$(pp|pp) - \frac{5}{2}(p\bar{p}|p\bar{p})]$$

$$(B - B^{-}) + (B^{+} - B) = -2\alpha - (pp|pp) + \frac{5}{2}(p\overline{p}|p\overline{p})$$

...
$$(pp|pp) - \frac{5}{2}(p\overline{p}|p\overline{p}) = I - A - (I + A)$$

$$B \rightarrow B^{\dagger}$$
syz sz I = 8.33 ev

$$B \rightarrow B^{-} A = 0.892 \text{ eV}$$
syz sxyz

Since the expression for (pp|pp) derived from this valence state also contains $(p\bar{p}|p\bar{p})$ it is necessary to use the evaluation of (pp|pp) and $(p\bar{p}|p\bar{p})$ in terms of ζ (the Slater effective nuclear charge) in order to compare this (pp|pp) with another (pp|pp) derived from a different valence state.

From the formulas of Roothaan.

$$(pp|pp) = 0.391406 \zeta$$
 $(p\overline{p}|p\overline{p}) = 0.0210938 \zeta$
 $0.338811 \zeta = (8.33 - 1.05) - \epsilon (8.33 + 1.05)$
 $\zeta = 21.486905 - 27.685051 \epsilon$

II.

It is necessary to have another expression in ζ and ε to evaluate ε . This second relation is derived from boron in the following valence states.

$$B^{-} = sx^{2}z \qquad (E_{1} + 2\alpha + J_{xx}) (1 - \epsilon)$$

B sxz
$$E_i + \alpha$$

B sz
$$E_{i} (1 + \epsilon)$$

B
$$\mathbf{sx^2z} = \mathbf{Is} + 2 \mathbf{I_x} + \mathbf{I_z} + \mathbf{J_{xx}} + 2 \mathbf{J_{sx}} + \mathbf{J_{sz}} + 2 \mathbf{J_{xz}}$$

 $- K_{\mathbf{sx}} - \frac{1}{2} K_{\mathbf{sz}} - K_{\mathbf{xz}}$

B
$$\mathbf{sxz} = \mathbf{I_s} + \mathbf{I_x} + \mathbf{I_z} + \mathbf{J_{sx}} + \mathbf{J_{sz}} + \mathbf{J_{xz}} - \frac{1}{2} \mathbf{K_{sx}} - \frac{1}{2} \mathbf{K_{sz}} - \frac{1}{2} \mathbf{K_{xz}}$$

$$B^{+} \qquad sz \qquad = I_{S} + I_{Z} + J_{SZ} - \frac{1}{2} K_{SZ}$$

$$E_{i} = I_{s} + I_{z} + J_{sz} - \frac{1}{2} K_{sz}$$

$$\alpha = I_x + J_{sx} + J_{xz} - \frac{1}{2} K_{sz} - \frac{1}{2} K_{xz}$$

$$(B^{*} - B) + (B^{+} - B) = I - A^{!} = J_{XX} - \epsilon (2\alpha + J_{XX})$$

$$(B - B^{-}) + (B^{+} - B) = I + A^{+} = -(J_{xx} + 2\alpha) + \epsilon [$$
Drop Term

to evaluate

 $(J_{xx} + 2\alpha)$ to use in first expression

$$I + A' = -(J_{xx} + 2\alpha)$$

$$J_{XX} = I - A' - \epsilon (I + A')$$

$$= (8.33 - 0.20) - \epsilon (8.33 + 0.20)$$

0.391406
$$\zeta = 8.13 - 8.53 \in$$

$$\zeta = 20.77127 - 21.793227 \in$$

Equating & from the two expressions

€ = 0.12146238

$$...(pp|pp)_B = 7.094 \text{ ev}$$

III.

There is an alternative method by which to obtain a second relation between ζ and ε .

$$B = sx^2 = E_1 + 2\alpha + J_{xx}$$

$$B^+$$
 sx $(E_i + \alpha) (1 + \epsilon)$

$$B^{++}$$
 s E_i (1 + 2 ϵ)

B
$$sx^2 = I_s + 2I_x + 2J_{sx} + J_{xx} - K_{sx}$$

$$B^+$$
 sx = $I_s + I_x + J_{sx} - \frac{1}{2} K_{sx}$

$$\alpha = I_x + J_{sx} - \frac{1}{2} K_{sx}$$

$$I_1 = B^+ - B = -\alpha - J_{xx} - \alpha \epsilon$$

$$I_2 = B^{++} - B^+ = -\alpha - \alpha \epsilon$$

$$I_2 - I_1 = -2\alpha\epsilon + J_{xx}$$
 $-\alpha = I_2$

$$J_{xx} = I_2 - I_1 + 2\alpha\epsilon = I_2 - I_1 - 2\epsilon I_2$$

$$J_{xx} = 0.391406 \quad \zeta = I_2 - I_1 - 2 \in I_2$$

$$= 19.399 - 7.276 - 2 \in (19.399)$$

ζ = 31.16201 - 99.14666 €

Equating & from I and III

= 0.13524085

$$(pp|pp)_{B} = 8.13 - 8.53 \in = 6.976 \text{ eV}$$

Results

The agreement between the values

$$(pp|pp)_B = 7.094 ev$$

$$or = 6.976 ev$$

is quite good, and both are considerably lower than the value $(pp|pp)_B = 13.83$ ev calculated from Slater-type AO's from the closed analytical forms of Roothaan.

 ϵ derived from the expansion in spectroscopic term values

0.12146238

or 0.13524085

are both in good agreement with € calculated from Slater's rules
0.1346153.

Acknowledgements

This work was supported by the Chemistry Branch of the Office of Naval Research.

REFERENCES

- 1. R. Pariser & R. G. Parr. J. Chem. Phys., 21, 767 (1953).
- 2. A. Julg. J. Chem. Phys. <u>55</u>, 413 (1958)
- 3. C. C. S. Roothaan. J. Chem. Phys. 19, 1445 (1951).

TECHNICAL REPORT DISTRIBUTION LIST

Contract - Nonr 3471(00)	NR # 356-433
	No. of Copies
Commanding Officer	
Office of Naval Research Branch Office	
The John Crerar Library Building	
86 East Randolph Street	
Chicago 1, Illinois	1
Commanding Officer	
Office of Naval Research Branch Office	
346 Broadway	
New York 13, New York	1
Commanding Officer	
Office of Naval Research Branch Office	
1030 East Green Street	
Pasadena 1, California	1
Commanding Officer	
Office of Naval Research Branch Office	
Box 39 Navy # 100 Fleet Post Office	
New York, New York	7
Director, Naval Research Laboratory Washington 25, D. C.	
Attn: Technical Information Officer	6
Chemistry Division	2
Chief of Naval Research	
Department of the Navy	
Washington 25, D. C.	
Attn: Code 425	2
DDR &E	
Technical Library	
Room 3C-128, The Pentagon	
Washington 25, D. C.	1
Technical Director	
Research & Engineering Division	
Office of the Quartermaster General	
Department of the Army	
Washington 25, D. C.	1

Technical Report Distribution List ... cont. Contract Nonr 3471(00)

Research Director Clothing & Organic Materials Division Quartermaster Research & Engineering Command	No. of Copies
U. S. Army	
Natick, Massachusetts	1
Air Force	
Office of Scientific Research (SRC-E)	
Washington 25, D. C.	1
Commanding Officer Diamond Ordnance Fuze Laboratories Washington 25, D. C.	
Attn: Technical Information Office Branch 012	1
Office, Chief of Research & Development Department of the Army Washington 25, D. C.	
Attn: Physical Sciences Division	1
Chief, Bureau of Ships Department of the Navy Washington 25, D. C.	
Attn: Code 342C	2
Chief, Bureau of Naval Weapons Department of the Navy Washington 25, D. C.	
Attn: Technical Library Code RRMA-3	3 1
ASTIA Document Service Center	
Arlington Hall Station	
Arlington 12, Virginia	10
Director of Research	
U.S. Army Signal Research & Development Laboratory	•
Fort Monmouth, New Jersey	1
Naval Radiological Defense Laboratory San Francisco 24, California	
Attn: Technical Library	1

Technical Report Distribution List cont.	Contract Nonr 3471(00)
	No. of Copies
Naval Ordnance Test Station	
China Lake, California	
Attn: Head, Chemistry Division	1
Code 40	1
Code 50	1
Commanding Officer	
Army Research Office	
Box CM, Duke Station	
Durham, North Carolina	
Attn: Scientific Synthesis Office	1
Brookhaven National Laboratory	
Chemistry Department	
Upton, New York	1
Atomic Energy Commission	
Division of Research	
Chemistry Programs	
Washington 25, D. C.	1
Atomic Energy Commission	
Division of Technical Information Extension	
Post Office Box 62	
	1
Oak Ridge, Tennessee	•
U.S. Army Chemical Research and Developmen	t Labs.
Technical Library	
Army Chemical Center, Maryland	1
Office of Technical Services	
Department of Commerce	
Washington 25, D. C.	1
Bureau of Naval Weapons Representative	
Westinghouse Electric Corporation	
P. O. Box 746	
Baltimore 3, Maryland	1
	•
Commanding Officer	
Office of Naval Research Branch Office	
1000 Geary Street	
San Francisco 9, California	
Attn: Dr. P. A. Miller	1

•

Technical Report Distribution List cont.	Contract Nonr 3471(00)
	No. of Copies
Commanding Officer Office of Naval Research Branch Office 495 Summer Street Boston 10, Massachusetts	·
Attn: Dr. A. L. Powell	1
Dr. H. S. Gutowsky Department of Chemistry University of Illinois Urbana, Illinois	1
Dr. D. A. Brown Department of Chemistry University College Upper Merrion Street	
Dublin, Ireland	1
Dr. J. T. Vanderslice Institute of Molecular Physics University of Maryland College Park, Maryland	1
Dr. Anton B. Burg Department of Chemistry University of Southern California	
University Park Los Angeles 7, California	1
Dr. E. G. Rochow Department of Chemistry Harvard University Cambridge 38, Massachusetts	1
Dr. T. D. Parsons	
Department of Chemistry Oregon State College Corvallis, Oregon	1
Dr. T. P. Onak Department of Chemistry Los Angeles State College Los Angeles, California	1 .

Technical Report Distribution List cont.	Contract Nonr 3471(00) No. of Copies
Dr. Robert W. Taft, Jr. Department of Chemistry	
Pennsylvania State University University Park, Pennsylvania	1
Dr. J. D. Roberts Department of Chemistry	
California Institute of Technology Pasadena, California	1
Dr. J. E. Leffler Department of Chemistry	
Florida State University Tallahassee, Florida	1
Dr. M. J. S. Dewar Department of Chemistry	
University of Chicago Chicago, Illinois	1
Dr. T. L. Heying Olin Mathieson Chemical Corporation	
275 Winchester Avenue New Haven, Connecticut	1
Dr. G. Barth-Wehrenalp, Director Inorganic Research Department	
Pennsalt Chemicals Corporation Box 4388	
Philadelphia 18, Pennsylvania Mr. K. Warren Easley	2
Monsanto Research Corporation Everett Station	_
Boston 49, Massachusetts	1
Dr. Hans H. Jaffe Department of Chemistry	
University of Cincinnati Cincinnati, Ohio	1
Dr. Murray S. Cohen Chief, Propellant Synthesis Section	
Reaction Motors Division Thickol Chemical Corporation	1
Denville, New Jersey	•

Technical Report Distribution List cont.	Contract Nonr 3471(00)
	No. of Copies
Professor W. S. Koski	
Chemistry Department	
The Johns Hopkins University	
Baltimore, Maryland	1
·	
Dr. Vernon H. Dibeler, Chief	
Mass Spectrometry Section	
National Bureau of Standards	_
Washington 25, D. C.	1
Dr. E. J. Prosen, Chief	
Thermochemistry Section	
National Bureau of Standards	
Washington 25, D. C.	1
washington 23, D. C.	-
Dr. L. J. Edwards	
Manager of Programs	
Callery Chemical Company	
Callery, Pennsylvania	1
Dr. Edgar W. Fajans	
Assoc. Director of Chemical Research	
U.S. Borax Research Corporation	
412 Crescent Way	
Anaheim, California	1
•	
Dr. R. W. Parry	
Department of Chemistry	
University of Michigan	
Ann Arbor, Michigan	1
Commanding Officer	
Frankford Arsenal	
Philadelphia 37, Pennsylvania	
Attn: ORDBA-LCO	1
Dr. Riley Schaeffer	
Department of Chemistry	
Indiana University	_
Bloomington, Indiana	1
Dr. S. Golden	
Department of Chemistry	
Brandeis University	
Waltham 54, Massachusetts	1
·· ===================================	

Technical Report Distribution List cont.	Contract Nonr 3471(00)
	No. of Copies
Dr. M. F. Hawthorne	
Rohm and Haas Company	
Philadelphia 5, Pennsylvania	1
De W M Linguish	
Dr. W. N. Lipscomb	
Department of Chemistry Harvard University	
Cambridge 38, Massachusetts	1
	•
Dr. H. C. Clark	
Department of Chemistry	
University of British Columbia	
Vancouver, British Columbia	
Canada	1
Dr. H. B. Jonassen	
Department of Chemistry	
Tulane University	
New Orleans, Indiana	1
	-
Dr. M. M. Chamberlain	
Department of Chemistry	
Western Reserve University	
Cleveland, Ohio	1
Dr. D. C. Bradley	
Department of Chemistry	
University of Western Ontario	
London, Canada	1
Dr. Henry Taube	
Department of Chemistry	
Stanford University	•
Stanford, California	1
Dr. C. E. Nordmann	
Department of Chemistry	
University of Michigan	
Ann Arbor, Michigan	1
Do Basal Wasses	
Dr. Ross I. Wagner American Potash & Chem. Corporation	
Research Department	
Whittier, California	1
A HYPPIALI CONTINUE	•

Technical Report Distribution List cont.	Contract Nonr 3471(00)	
	No. of Copies	
Dr. E. C. Ashby		
Ethyl Corporation		
Baton Rouge, Louisiana	1	
Dr. George F. Huff, Vice President		
Research and Development		
Callery Chemical Company		
Callery, Pennsylvania	1	
Dr. David Chamberlain, Jr.	in the same	
Stanford Research Institute		
Menlo Park, California	1	